



THROTTLE CONTROL BRACKET
REFERENCE INFORMATION. SEE SHEET 10 FOR
CUSTOMER THROTTLE CABLE ATTACHMENT
LOCATIONS FOR ENGINES WITH FUEL TANK



REMOTE CHOKE CONTROL BRACKET



NOTE:
THIS APPLICATION
DRAWING
TO BE USED FOR MODELS
3864 AND 3854

REV.	CHANGES:	BY	DOC. NO.	DATE
G	ADDED FUEL TANK OPTION SHEETS 10-12	GWD	ECN036413	09/03/14
H	NO CHANGES TO THIS SHEET	GWD	ECN039383	03/13/15
J	REDRAWN IN PRO/E, ADDED SPLINE CRANKSHAFT OPTION SHEET 13, ADDED NOTE TO THROTTLE INFO	SMS	ECN063905	01/15/20

REFER TO 3-D DATA FOR ADDITIONAL INFORMATION		DIMENSIONING AND TOLERANCING PER ASME Y14.5-2009		SIZE E
THIS DRAWING IS THE PROPERTY OF BRIGGS & STRATTON CORPORATION. IT IS TO BE USED FOR THE EXCLUSIVE USE OF THE CUSTOMER TO WHOM IT IS ISSUED. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF BRIGGS & STRATTON CORPORATION.		SCALE: 1.00		UNCONTROLLED DOCUMENT WHEN PRINTED
UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES.		TOLERANCE UNLESS OTHERWISE SPECIFIED: X ± .01 XX ± .005 XXX ± .001 ANGLES ± .5°		TITLE: APPLICATION DRAWING
CLASSIFICATION OF CHARACTERISTICS		MATERIAL:		DRAWN: GWD 05/10/04
DOUBLE MAJOR(MM_00) CRITICAL(C_00) MAJOR(M_00)		APPR: RAS 05/10/04		SIMILAR TO: -
DO NOT SCALE DRAWING		386400-0000-06		REV J SHEET 12 OF 13